

The Magic of Mushrooms: Nutritional Value, Bioactive Potential and Culinary Applications

Ranvijay Pratap Singh^{1*}, Asha Singh², R.K. Jaiswal¹ and P.N. Tripathi¹

¹JNKVV, Krishi Vigyan Kendra, Purushottampur, Panna, Madhya Pradesh (488 001), India

²Madhya Pradesh State Seed Certification Agency, Panna, Madhya Pradesh (488 001), India



Corresponding Author

Ranvijay Pratap Singh

✉: ranvijayparihar01@gmail.com

Conflict of interests: The authors have declared that no conflict of interest exists.

How to cite this article?

Singh, R.P., Singh, A., Jaiswal, R.K., Tripathi, P.N., 2026. The Magic of Mushrooms: Nutritional Value, Bioactive Potential and Culinary Applications. *Biotica Research Today* 8(5), 86-90.

Copyright: © 2026 Singh *et al.* This is an open access article that permits unrestricted use, distribution and reproduction in any medium after the author(s) and source are credited.

Abstract

Mushrooms occupy a distinctive position at the intersection of nutrition, functional foods and gastronomy. Edible species provide dietary protein, fiber, vitamins, minerals and diverse bioactive compounds, including polysaccharides, β -glucans, sterols, phenolic compounds and ergothioneine. Their reported biological activities have generated interest in antioxidant, anti-inflammatory, immunomodulatory and cardiometabolic applications, while mushroom polysaccharides are also being investigated for potential interactions with the gut microbiota. Although numerous mushroom-derived compounds demonstrated biological activity in experimental systems, the clinical significance of many reported effects remains dependent on mushroom species, preparation and the quality of human evidence. However, the strength of evidence varies among mushroom species, compounds and study models, and experimental findings should not automatically be interpreted as established clinical benefits. Beyond nutrition, mushrooms are valued for their distinctive texture, aroma and umami character, making them versatile ingredients and useful components of value-added foods. This article reviews the nutritional and culinary significance of mushrooms, with particular attention to varieties relevant to India, evidence-based health considerations, food innovation and rural livelihood opportunities.

Keywords: Bioactive compounds, Culinary applications, Edible mushrooms, Functional foods, Mushroom nutrition

Introduction

Mushrooms have been valued as foods for centuries and, in several cultural traditions, have also been associated with medicinal practices. Their contemporary importance derives from a combination of nutritional quality, distinctive sensory characteristics and the presence of biologically active compounds. Edible mushrooms contain proteins, dietary fiber, minerals and relatively small amounts of fat, while also providing polysaccharides, sterols, phenolic compounds and other constituents that have attracted considerable scientific interest (Assemie and Abaya, 2022; Singh *et al.*, 2025).

The nutritional composition of mushrooms is not uniform. It varies among species and may be influenced by factors such as the cultivation substrate, environmental conditions, developmental stage and maturity (Assemie and Abaya, 2022;

Singh *et al.*, 2025). Their scientific relevance has therefore expanded beyond their traditional role as vegetables or culinary ingredients. Mushrooms are increasingly examined as functional foods because they combine conventional nutrients with compounds that may exert physiological effects. Recent research has further strengthened interest in edible mushrooms as foods that combine nutritional value, sensory appeal and diverse bioactive constituents (Anonymous, 2026; Singh *et al.*, 2025).

From a scientific perspective, mushrooms should be understood at three interconnected levels: as conventional foods that contribute nutrients to the diet, as sources of structurally diverse bioactive compounds and as ingredients with important sensory and technological properties. Distinguishing among these levels is important because a

Article History

RECEIVED on 15th May 2026

RECEIVED in revised form 28th May 2026

ACCEPTED in final form 30th May 2026

nutritionally valuable mushroom is not necessarily a clinically proven therapeutic agent and biological activity observed in laboratory studies does not automatically translate into a measurable health benefit in humans.

At the same time, mushrooms remain important gastronomic ingredients. Their characteristic aroma, texture and umami taste enable them to enhance soups, curries, stir-fries, roasted dishes and other preparations. Some species may also be incorporated into products designed to partially replace meat or improve the nutritional quality of processed foods (Singh et al., 2025). This article examines the nutritional, health-related and culinary significance of mushrooms while maintaining an evidence-based distinction between established nutritional value and biological effects that remain under scientific investigation.

Major Mushroom Varieties Relevant to India

The diversity of mushrooms relevant to Indian agriculture and food systems extends beyond a single culinary category, encompassing widely cultivated edible species as well as mushrooms that have attracted particular interest for their functional and bioactive constituents (Figure 1).



Figure 1: Major mushroom varieties cultivated in India

India cultivates and consumes several mushroom species, although their production and distribution vary according to climatic conditions, cultivation practices and market demand. Among the important varieties relevant to Indian food systems are button mushroom (*Agaricus bisporus*), oyster mushrooms (*Pleurotus* spp.), milky mushroom (*Calocybe indica*) and paddy straw mushroom (*Volvariella volvacea*). The broader scientific literature reviewed in the supplied sources also discusses species such as shiitake (*Lentinula edodes*) and medicinally important *Ganoderma* species (Singh et al., 2025).

1. Button Mushroom (*Agaricus bisporus*)

Button mushroom is one of the most widely recognized edible mushrooms. Its mild flavor and firm texture make it suitable for soups, curries, stir-fries, salads and baked dishes. Research has also examined its nutritional composition and interactions with the gut environment.

2. Oyster Mushrooms (*Pleurotus* spp.)

Oyster mushrooms are appreciated for their delicate texture and versatility. Species within *Pleurotus* have attracted particular scientific interest because of their nutritional composition and the possible prebiotic activities of their non-digestible constituents.

3. Milky Mushroom (*Calocybe indica*)

The milky mushroom is relevant to warm-climate cultivation and is recognized for its firm texture and culinary adaptability. It represents one of the species included in recent reviews of edible mushroom nutrition and functional properties.

4. Paddy Straw Mushroom (*Volvariella volvacea*)

Paddy straw mushroom is traditionally associated with cultivation systems using agricultural materials and is valued as an edible species with distinctive culinary characteristics.

5. Shiitake (*Lentinula edodes*) and *Ganoderma* Species

Shiitake is particularly valued for its rich savory taste and has been investigated for its polysaccharides and other bioactive constituents. *Ganoderma* species have received substantial attention in studies of functional and medicinal mushrooms, although their traditional or experimental health applications should not be confused with evidence of proven therapeutic effectiveness in routine dietary use.

Nutritional Composition and Bioactive Constituents

Fresh edible mushrooms generally contain high proportions of water, while their dry matter provides protein, carbohydrates, dietary fiber, minerals and relatively small amounts of lipids. Assemie and Abaya (2022) describe edible mushrooms as nutritionally important sources of protein and fiber, with low fat content and a range of minerals and vitamins (Table 1).

The nutritional composition of mushrooms varies among species and is influenced by cultivation conditions, developmental stage and environmental factors (Assemie and Abaya, 2022; Anonymous, 2026). Mushroom proteins contain a variety of amino acids, although protein concentration varies considerably among species and according to developmental and cultivation conditions. Some reviews report appreciable protein concentrations on a dry-weight basis and identify amino acids such as leucine, aspartic acid, valine, glutamine and glutamic acid among common constituents (Assemie and Abaya, 2022).

Mushrooms are also characterized by diverse carbohydrates, including digestible sugars and non-digestible components such as chitin, cellulose, mannans and glucans. The structure and composition of mushroom β -glucans have attracted particular attention because of their potential biological activities (Singh et al., 2025).

Their relatively low fat content, combined with fiber and other nutrients, makes edible mushrooms useful ingredients in balanced dietary patterns. However, nutritional composition should not be generalized from one species to all mushrooms, since substantial variation occurs across species and growing conditions.

Consequently, nutritional values reported for one mushroom species should not be generalized to all edible mushrooms. Comparisons are further complicated by differences in whether values are expressed on a fresh-weight or dry-weight basis, a distinction that is particularly important because fresh mushrooms contain a high proportion of water.

Table 1: Major nutritional and bioactive components of edible mushrooms

Component	General significance
Protein and amino acids	Contribute to the nutritional quality of the diet.
Dietary fiber	Supports digestive function and may contribute to dietary satiety.
β -Glucans and other polysaccharides	Structurally diverse compounds extensively investigated for immunomodulatory and gut microbiota-related effects.
Vitamins	Mushrooms can contribute B-complex vitamins and vitamin D-related compounds.
Minerals	May provide potassium, phosphorus, magnesium, iron, zinc and other minerals.
Phenolic compounds and related antioxidants	Associated with antioxidant activity in experimental studies.
Ergosterol and sterols	Important fungal constituents; ergosterol is associated with vitamin D formation.
Ergothioneine and other bioactive compounds	Associated with antioxidant activity and other biological functions under continuing investigation.

Source: Assemie and Abaya (2022), Bell *et al.* (2022) and Singh *et al.* (2025)

Potential Health Benefits: Evidence and Limitations

Recent studies continue to investigate mushroom-derived compounds for antioxidant, anti-inflammatory, immunomodulatory and other biological activities, although the level of evidence varies substantially among compounds and study designs (Anonymous, 2026; Bell *et al.*, 2022; Singh *et al.*, 2025).

Immune-Related Effects

Mushrooms contain polysaccharides, particularly β -glucans, that have been widely investigated for their immunomodulatory properties. Reviews described mushroom polysaccharides as biologically important constituents and associate β -glucans with interactions involving immune responses (Jayachandran *et al.*, 2017).

Nevertheless, the term “immune boosting” should be used cautiously. The effects of individual mushroom compounds may depend on species, chemical structure, preparation, dose and biological context. Findings from laboratory and animal research cannot automatically be equated with established clinical effects in humans.

Antioxidant Potential

Edible mushrooms contain several compounds associated with antioxidant activity, including phenolic compounds, flavonoids and tocopherols. Studies reviewed by Assemie and Abaya (2022) demonstrated considerable variation in phenolic and flavonoid content among mushroom species.

Such compounds are of scientific interest because oxidative processes are implicated in numerous biological and pathological mechanisms. However, antioxidant activity measured in laboratory systems should not by itself be interpreted as proof that a particular mushroom prevents chronic disease in humans.

Anti-Inflammatory and Other Biological Activities

Certain mushroom species and their extracts contain compounds that have demonstrated anti-inflammatory and other biological activities in experimental research. Singh *et al.* (2025) summarized reported antioxidant, anti-inflammatory, cytoprotective and other functional properties

associated with mushroom bioactives.

These findings support continued investigation of mushrooms as sources of functional compounds. They should, however, be interpreted according to the type of evidence available rather than presented as confirmation that ordinary consumption can treat specific diseases.

Cardiometabolic Considerations

The nutritional characteristics of mushrooms, including dietary fiber, low lipid content and the presence of potassium and other minerals, have encouraged research into their possible contribution to cardiometabolic health. Reviews also discuss cholesterol-related and glycaemic effects associated with mushroom consumption and mushroom-derived compounds.

A balanced interpretation is that mushrooms may be useful components of healthy dietary patterns, but they should not be considered independent treatments for hypertension, hypercholesterolaemia or diabetes.

Mushrooms and the Gut Microbiota

One of the most promising areas of mushroom research concerns their possible prebiotic role. Mushrooms contain non-digestible carbohydrates and polysaccharides, including chitin, hemicellulose, mannans, galactans, xylans and α - and β -glucans. These components may provide substrates for microbial activity in the gastrointestinal tract (Jayachandran *et al.*, 2017).

Bell *et al.* (2022) similarly described edible fungi as sources of non-digestible fiber that can interact with beneficial gut microorganisms and serve as substrates for microbial fermentation. Research involving *Pleurotus*, *Lentinula* and *Ganoderma* species has produced encouraging findings, particularly in experimental models.

However, gut microbiota research remains complex. Responses may vary with mushroom species, preparation, dietary background and individual microbiota composition. Consequently, mushrooms should be described as having potential prebiotic properties under investigation, rather than as universally established prebiotic treatments.

Mushrooms and Cancer Research: Scientific Promise and Evidentiary Limits

Mushroom-derived polysaccharides and other compounds have generated considerable interest in cancer-related research. Reviews discuss antitumor and anticancer activities reported for several mushrooms and their constituents.

This area requires especially careful interpretation. Experimental evidence involving isolated compounds, extracts, cell cultures or animal models does not mean that eating culinary mushrooms can prevent or treat cancer. Similarly, compounds investigated in specialized therapeutic contexts should not be equated with ordinary dietary mushroom consumption.

The appropriate conclusion is that mushrooms remain valuable sources of compounds worthy of biomedical investigation, while clinical claims must depend on rigorous evidence specific to each preparation and application.

Culinary Delights: Flavor, Texture and Versatility

The culinary importance of mushrooms is inseparable from their nutritional value. Mushrooms provide distinctive textures and aromas and are particularly appreciated for their umami character. Singh et al. (2025) noted that mushrooms are widely incorporated into foods because of their sensory qualities and can also serve as meat substitutes in some preparations.

Button mushrooms can be sautéed, roasted or incorporated into soups and curries. Oyster mushrooms are well suited to stir-fries and other dishes where their tender texture is emphasized. Shiitake offers a more pronounced savory character and is particularly suitable for broths, sauces and fusion cuisine.

Useful Cooking Techniques

a) *Sauteing*: Cooking mushrooms over adequate heat can concentrate their aroma and flavor.

b) *Roasting*: Roasting enhances texture and develops deeper savory characteristics.

c) *Grilling*: Larger mushrooms can be grilled and incorporated into sandwiches, wraps and other main dishes.

d) *Stuffing*: Firm mushroom caps may be filled with vegetables, herbs or other ingredients.

e) *Blending*: Finely chopped mushrooms can be combined with meat or plant-based mixtures to contribute moisture, texture and savory flavor while reducing the proportion of other ingredients.

Mushrooms also pair effectively with garlic, onions, herbs, grains, legumes and a wide variety of vegetables and protein-containing foods. Their versatility makes them useful in traditional dishes as well as contemporary food innovation.

Mushrooms in Value-Added Food Products

Mushrooms are increasingly used beyond fresh consumption. The incorporation of mushroom powders and flours into bakery products, snacks and other processed foods has created opportunities to improve product diversity and nutritional composition.

Singh et al. (2025) described value-added products including mushroom-enriched muffins, cookies, biscuits, bars and papad. In several formulations, mushroom incorporation increased components such as protein, ash and dietary fiber.

This expanding area has relevance for food processing and entrepreneurship. Mushroom powders, dried products and formulated foods can potentially extend shelf life, facilitate transportation and create new market opportunities. Nevertheless, product development must consider sensory acceptance, food safety and nutritional quality.

Mushroom Cultivation and Rural Opportunities

Mushroom cultivation and value addition may provide opportunities for rural entrepreneurship because mushrooms can be integrated into controlled production systems and processed into diverse products. The supplied literature particularly supports the growing interest in mushroom cultivation, nutritional applications and value-added foods (Singh et al., 2025).

Potential activities extend beyond fresh mushroom production to drying, powder preparation and incorporation into food products. Such diversification may increase the range of marketable outputs and support small-scale food enterprises.

However, claims regarding profitability, employment generation, gender empowerment or regional production should be supported by dedicated socioeconomic and agricultural studies. These outcomes cannot be assumed solely from nutritional or food-science reviews.

Safety Notes

The benefits discussed in this article apply only to properly identified edible mushrooms and appropriately manufactured mushroom products. The scientific literature emphasizes that, although numerous mushroom species are nutritious and palatable, some species are poisonous and caution is essential. Wild mushrooms should therefore not be consumed unless their identity has been reliably established by a qualified expert.

Consumers should also recognize that “medicinal” or “functional” does not automatically mean that a mushroom product is appropriate for treating disease. Health claims should be evaluated according to the evidence available for the specific species and preparation.

Conclusion

The enduring appeal of mushrooms lies in their ability to unite nutrition, food science and gastronomy. Edible mushrooms contribute protein, dietary fiber, minerals, vitamins and a diverse range of bioactive compounds, including polysaccharides and β -glucans. Their antioxidant, anti-inflammatory, immunological and gut microbiota-related activities have generated substantial scientific interest, although the strength of evidence varies considerably among species and research models.

Mushrooms are equally valuable as culinary ingredients. Their umami flavor, distinctive textures and adaptability enable their use in everyday cooking, meat-reduced

formulations and innovative value-added products. For India and other countries with expanding interest in mushroom cultivation, food processing may further increase their economic relevance.

The “magic” of mushrooms, therefore, lies not in exaggerated therapeutic promises but in their genuine versatility: they are nutritious foods, fascinating biological resources and remarkable culinary ingredients whose full scientific and gastronomic potential continues to be explored.

References

- Anonymous, 2026. Mushrooms. In: *The Nutrition Source* (website). Available at: <https://nutritionsource.hsph.harvard.edu/food-features/mushrooms/>. Accessed on: 31st March, 2026.
- Assemie, A., Abaya, G., 2022. The effect of edible mushroom on health and their biochemistry. *International Journal of Microbiology* 2022, 8744788. DOI: <https://doi.org/10.1155/2022/8744788>.
- Bell, V., Silva, C.R.P.G., Guina, J., Fernandes, T.H., 2022. Mushrooms as future generation healthy foods. *Frontiers in Nutrition* 9, 1050099. DOI: <https://doi.org/10.3389/fnut.2022.1050099>.
- Jayachandran, M., Xiao, J., Xu, B., 2017. A critical review on health promoting benefits of edible mushrooms through gut microbiota. *International Journal of Molecular Sciences* 18(9), 1934. <https://doi.org/10.3390/ijms18091934>.
- Singh, A., Saini, R.K., Kumar, A., Chawla, P., Kaushik, R., 2025. Mushrooms as nutritional powerhouses: A review of their bioactive compounds, health benefits, and value-added products. *Foods* 14(5), 741. DOI: <https://doi.org/10.3390/foods14050741>.